



SKF 81106 TN参数


| | | | | |
|--------|------------|------------|-------|-----|
| 主要尺寸 | d | 30 | mm | - |
| | D | 47 | mm | - |
| | H | 11 | mm | - |
| 基本额定载荷 | C | 27000 | N | 动载荷 |
| | C_0 | 78000 | N | 静载荷 |
| 疲劳载荷极限 | P_u | 7650 | N | - |
| 最小载荷系数 | A | - | - | - |
| 额定转速 | 额定转度 | 3000 | r/min | - |
| | 极限转速 | 6000 | r/min | - |
| 重量 | 重量 | 57 | g | - |
| 型号 | 完整轴承 | 81106 TN | - | - |
| | 滚子和保持架推力组件 | K 81106 TN | - | - |

SKF 81106 TN图片

完整轴承



滚子和保持架推力组件



K 81106 TN

质量 kg 0,013

适宜的部件

轴垫圈


WS 81106

轴承座垫圈

GS 81106



滚道圈

LS 3047




参考资料: <http://www.sozhou.com/p/0839a5c2.html>

完整轴承



滚子和保持架推力组件



K 81106 TN

质量 kg 0,013

适宜的部件

轴垫圈
WS 81106

轴承座垫圈
GS 81106

滚道圈
LS 3047

