

FAG SNV090-F-L + 22308K + H2308X106 + DHV608参数

|    |            |           |    |           |
|----|------------|-----------|----|-----------|
| 尺寸 | $d_1$      | 34.925    | mm | -         |
|    | a          | 205       | mm | -         |
|    | $h_1$      | 117       | mm | -         |
|    | g          | 100       | mm | -         |
|    | b          | 60        | mm | -         |
|    | c          | 25        | mm | -         |
|    | D          | 90        | mm | -         |
|    | $g_3$      | 12.5      | mm | -         |
|    | $g_V$      | 104       | mm | -         |
|    | h          | 60        | mm | -         |
|    | m          | 170       | mm | -         |
|    | s          | M12       |    | -         |
|    | s          | 12.7      | mm | -         |
|    | u          | 15        | mm | -         |
|    | v          | 20        | mm | -         |
| 重量 | $m_1$      | 3100      | g  | 质量, 轴承座   |
| 说明 |            | 22308K    |    | 型号, 轴承    |
|    |            | H2308X106 |    | 质量, 紧定套   |
|    |            | FRM90/4   |    | 型号, 定位圈   |
|    |            | DHV608    |    | 型号, V 型密封 |
|    |            | DKV090    |    | 型号, 端盖    |
|    | SNV090-F-L |           |    | 型号, 轴承座   |

FAG SNV090-F-L + 22308K + H2308X106 + DHV608图片





