

FAG SNV170-F-L + 2316K + H2316X214 + FSV616X214参数

| | | | | | |
|----|-------|------------|-------|----------|---------|
| 尺寸 | d_1 | 73.025 | mm | - | |
| | a | 345 | mm | - | |
| | h_1 | 219 | mm | - | |
| | g | 150 | mm | - | |
| | b | 100 | mm | - | |
| | c | 35 | mm | - | |
| | D | 170 | mm | - | |
| | g_3 | 16 | mm | - | |
| | h | 112 | mm | - | |
| | m | 290 | mm | - | |
| | s | M20 | | - | |
| | s | 19.05 | mm | - | |
| | u | 22 | mm | - | |
| | v | 27 | mm | - | |
| | 重量 | m_1 | 14400 | g | 质量, 轴承座 |
| | 说明 | | 2316K | | 型号, 轴承 |
| | | H2316.214 | | 质量, 紧定套 | |
| | | FRM170/5 | | 型号, 定位圈 | |
| | | FSV616.214 | | 型号, 毛毡密封 | |
| | | DKV170 | | 型号, 端盖 | |
| | | SNV170-F-L | | 型号, 轴承座 | |

FAG SNV170-F-L + 2316K + H2316X214 + FSV616X214图片





