

FAG BND3060-Z-T-AL-S参数

|    |                |         |    |         |
|----|----------------|---------|----|---------|
| 尺寸 | d              | 300     | mm | -       |
|    | a              | 820     | mm | -       |
|    | h <sub>1</sub> | 570     | mm | -       |
|    | g <sub>1</sub> | 261     | mm | -       |
|    | b              | 250     | mm | -       |
|    | c              | 85      | mm | -       |
|    | D              | 460     | mm | -       |
|    | d <sub>z</sub> | 316     | mm | -       |
|    | g              | 140     | mm | -       |
|    | g <sub>4</sub> | 121     | mm | -       |
|    | h              | 285     | mm | -       |
|    | k              | 4       | mm | -       |
|    | m              | 690     | mm | -       |
|    | n              | 150     | mm | -       |
|    | s              | M36     |    | -       |
| 说明 | s <sub>2</sub> | M16     |    | -       |
| 尺寸 | t              | 510     | mm | -       |
|    | u              | 42      | mm | -       |
|    | v              | 52      | mm | -       |
| 说明 | s <sub>2</sub> | 8       |    | 数量      |
|    |                | 23060   |    | 型号, 轴承  |
| 重量 | m <sub>1</sub> | 220000  | g  | 质量, 轴承座 |
| 说明 |                | BND3060 |    | 型号, 轴承座 |

FAG BND3060-Z-T-AL-S图片



参考资料: <http://www.sozhou.com/p/2e454295.html>

