

FAG SNV160-F-L + 20218K + H218 + FSV518参数

|    |       |             |       |          |
|----|-------|-------------|-------|----------|
| 尺寸 | $d_1$ | 80          | mm    | -        |
|    | a     | 345         | mm    | -        |
|    | $h_1$ | 201         | mm    | -        |
|    | g     | 145         | mm    | -        |
|    | b     | 100         | mm    | -        |
|    | c     | 35          | mm    | -        |
|    | D     | 160         | mm    | -        |
|    | $g_3$ | 15          | mm    | -        |
|    | h     | 100         | mm    | -        |
|    | m     | 290         | mm    | -        |
|    | s     | M20         |       | -        |
|    | s     | 19.05       | mm    | -        |
|    | u     | 22          | mm    | -        |
|    | v     | 27          | mm    | -        |
|    | 重量    | $m_1$       | 12800 | g        |
| 说明 |       | 20218K      |       | 型号, 轴承   |
|    |       | H218        |       | 质量, 紧定套  |
|    |       | FRM160/17.5 |       | 型号, 定位圈  |
|    |       | FSV518      |       | 型号, 毛毡密封 |
|    |       | DKV160      |       | 型号, 端盖   |
|    |       | SNV160-F-L  |       | 型号, 轴承座  |

FAG SNV160-F-L + 20218K + H218 + FSV518图片





