



FAG NJ224-E-TVP2 + HJ224-E参数

尺寸	d	120	mm	-	
	D	215	mm	-	
	B	40	mm	-	
	B ₁	11	mm	-	
	B ₂	17	mm	-	
	D ₁	187.8	mm	-	
	D _{a max}	203	mm	-	
	d ₁	153.2	mm	-	
	d _{a max}	141	mm	-	
	d _{a min}	132	mm	-	
	d _{c min}	156	mm	-	
	E	195.5	mm	-	
	F	143.5	mm	-	
	r _{1 min}	2.1	mm	-	
	r _{a max}	2.1	mm	-	
	r _{al max}	2.1	mm	-	
	r _{min}	2.1	mm	-	
	s	1.4	mm	距离中心位置的轴向偏移	
	说明		HJ224-E		型号, L 型圈
	重量	m	5910	g	质量
m ₁		707	g	质量, L 型圈	
基本额定载荷	C _r	390000	N	基本额定动载荷, 径向	
	C _{0r}	415000	N	基本额定静载荷, 径向	
极限转速	n _G	3750	r/min	极限转速	
参考转速	n _B	3100	r/min	参考速度	
疲劳极限载荷	C _{ur}	68000	N	疲劳极限载荷, 径向	

FAG NJ224-E-TVP2 + HJ224-E图片



参考资料:<http://www.sozhou.com/p/4a721914.html>

