

FAG SNV160-F-L + 2315K + H2315X208 + FSV615X208参数

|    |            |            |       |          |
|----|------------|------------|-------|----------|
| 尺寸 | $d_1$      | 63.5       | mm    | -        |
|    | a          | 345        | mm    | -        |
|    | $h_1$      | 201        | mm    | -        |
|    | g          | 145        | mm    | -        |
|    | b          | 100        | mm    | -        |
|    | c          | 35         | mm    | -        |
|    | D          | 160        | mm    | -        |
|    | $g_3$      | 15         | mm    | -        |
|    | h          | 100        | mm    | -        |
|    | m          | 290        | mm    | -        |
|    | s          | M20        |       | -        |
|    | s          | 19.05      | mm    | -        |
|    | u          | 22         | mm    | -        |
|    | v          | 27         | mm    | -        |
|    | 重量         | $m_1$      | 12800 | g        |
| 说明 |            | 2315K      |       | 型号, 轴承   |
|    |            | H2315X208  |       | 质量, 紧定套  |
|    |            | FRM160/5   |       | 型号, 定位圈  |
|    |            | FSV615.208 |       | 型号, 毛毡密封 |
|    |            | DKV160     |       | 型号, 端盖   |
|    | SNV160-F-L |            |       | 型号, 轴承座  |

FAG SNV160-F-L + 2315K + H2315X208 + FSV615X208图片





