

NSK CRSE-52参数

极限载荷	PMAX2	6850	kgf	极限载荷	
滚轮极限载荷	LTL	64500	N	滚轮极限载荷	
重量	MASS	2200	g	重量	
六角形孔的尺寸	X	0.00	mm	双边距离	
偏心轴衬尺寸	B4	31.75	mm	-	
	SD1	44.450	mm	-	
	E	1.52	mm	-	
挡肩尺寸	F	44.4	mm	(最小)	
拧紧力矩	TT	23100	n. cm	(最大)	
外形尺寸	SD	31.750	mm	外径	
尺寸	G	1 1/4-12	mm	螺栓	
	G1	31.8	mm	-	
	B1	109.6	mm	-	
	B2	63.50	mm	-	
	B3	15.88	mm	-	
	M2	4.8	mm	-	
	M1	6.4	mm	-	
	基本额定载荷	CR	76000	N	动载荷
		CR2	7750	kgf	动载荷
极限载荷	PMAX	67000	N	极限载荷	
型号	型号	CRSE-52		-	
外形尺寸	D	82.550	mm	外径	
	C	44.45	mm	宽度	

NSK CRSE-52图片





CRE

参考资料:<http://www.sozhou.com/p/5c5a784e.html>

