

FAG SNV190-F-L + 2318 + DH318参数

|    |       |            |    |          |
|----|-------|------------|----|----------|
| 尺寸 | d     | 90         | mm | -        |
|    | a     | 380        | mm | -        |
|    | $h_1$ | 229        | mm | -        |
|    | g     | 155        | mm | -        |
|    | b     | 110        | mm | -        |
|    | c     | 40         | mm | -        |
|    | D     | 190        | mm | -        |
|    | $d_2$ | 105        | mm | -        |
|    | $g_3$ | 15         | mm | -        |
|    | h     | 112        | mm | -        |
|    | m     | 320        | mm | -        |
|    | s     | M24        |    | -        |
|    | s     | 22.225     | mm | -        |
|    | u     | 26         | mm | -        |
|    | v     | 32         | mm | -        |
| 重量 | $m_1$ | 22000      | g  | 质量, 轴承座  |
| 说明 |       | 2318       |    | 型号, 轴承   |
|    |       | KM18       |    | 型号, 锁紧螺母 |
|    |       | MB18       |    | 型号, 爪式垫圈 |
|    |       | FRM190/5   |    | 型号, 定位圈  |
|    |       | DH318      |    | 型号, 双唇密封 |
|    |       | DKV160     |    | 型号, 端盖   |
|    |       | SNV190-F-L |    | 型号, 轴承座  |

FAG SNV190-F-L + 2318 + DH318图片





