

FAG SNV072-F-L + 2306K + H2306 + FSV606参数

|    |       |            |       |          |         |
|----|-------|------------|-------|----------|---------|
| 尺寸 | $d_1$ | 25         | mm    | -        |         |
|    | a     | 185        | mm    | -        |         |
|    | $h_1$ | 97         | mm    | -        |         |
|    | g     | 80         | mm    | -        |         |
|    | b     | 52         | mm    | -        |         |
|    | c     | 22         | mm    | -        |         |
|    | D     | 72         | mm    | -        |         |
|    | $g_3$ | 10.5       | mm    | -        |         |
|    | h     | 50         | mm    | -        |         |
|    | m     | 150        | mm    | -        |         |
|    | s     | M12        |       | -        |         |
|    | s     | 12.7       | mm    | -        |         |
|    | u     | 15         | mm    | -        |         |
|    | v     | 20         | mm    | -        |         |
|    | 重量    | $m_1$      | 2000  | g        | 质量, 轴承座 |
|    | 说明    |            | 2306K |          | 型号, 轴承  |
|    |       | H2306      |       | 质量, 紧定套  |         |
|    |       | FRM72/3    |       | 型号, 定位圈  |         |
|    |       | FSV606     |       | 型号, 毛毡密封 |         |
|    |       | DKV072     |       | 型号, 端盖   |         |
|    |       | SNV072-F-L |       | 型号, 轴承座  |         |

FAG SNV072-F-L + 2306K + H2306 + FSV606图片





