

NSK 53310U参数

| | | | | |
|------|--------|--------|-------|------|
| 型号 | 型号 | 53310U | | - |
| 外形尺寸 | SD | 50 | mm | 内径 |
| | D | 95 | mm | 外径 |
| | T | 31 | mm | 宽度 |
| | T3 | 34.3 | mm | - |
| | T4 | 37 | mm | - |
| | SR | 1.1 | mm | (最小) |
| | 基本额定载荷 | CAN | 97500 | N |
| COAN | | 202000 | N | 静载荷 |
| CA | | 9950 | kgf | 动载荷 |
| COA | | 20600 | kgf | 静载荷 |
| 极限转速 | GRE | 1800 | 1/min | 脂润滑 |
| | OIL | 2800 | 1/min | 油润滑 |
| 尺寸 | SD1 | 95 | mm | - |
| | D1 | 52 | mm | - |
| | D2 | 72 | mm | - |
| | D3 | 100 | mm | - |
| | SB | 11.0 | mm | - |
| | A | 28.0 | mm | - |
| | R | 72 | mm | - |
| 安装尺寸 | SDA | 77 | mm | (最小) |
| | DA | 68 | mm | (最大) |
| | SRA | 1.0 | mm | (最大) |
| 重量 | MASS | 1270 | g | 重量 |

NSK 53310U图片



参考资料:<http://www.sozhou.com/p/8b74e60e.html>

