

FAG SNV085-F-L + 1209K + H209X108 + FSV509X108参数

|    |            |            |      |          |
|----|------------|------------|------|----------|
| 尺寸 | $d_1$      | 38.1       | mm   | -        |
|    | a          | 205        | mm   | -        |
|    | $h_1$      | 114        | mm   | -        |
|    | g          | 87         | mm   | -        |
|    | b          | 60         | mm   | -        |
|    | c          | 25         | mm   | -        |
|    | D          | 85         | mm   | -        |
|    | $g_3$      | 12.5       | mm   | -        |
|    | h          | 60         | mm   | -        |
|    | m          | 170        | mm   | -        |
|    | s          | M12        |      | -        |
|    | s          | 12.7       | mm   | -        |
|    | u          | 15         | mm   | -        |
|    | v          | 20         | mm   | -        |
|    | 重量         | $m_1$      | 2800 | g        |
| 说明 |            | 1209K      |      | 型号, 轴承   |
|    |            | H209X108   |      | 质量, 紧定套  |
|    |            | FRM85/6    |      | 型号, 定位圈  |
|    |            | FSV509.108 |      | 型号, 毛毡密封 |
|    |            | DKV085     |      | 型号, 端盖   |
|    | SNV085-F-L |            |      | 型号, 轴承座  |

FAG SNV085-F-L + 1209K + H209X108 + FSV509X108图片





