


## NSK 54417XU参数

型号	型号	54417XU		-	
外形尺寸	SD2	65	mm	内径	
	SD	85	mm	外径	
	D	180	mm	宽度	
	T1	128	mm	-	
	T5	138.0	mm	-	
	T7	150	mm	-	
	SR	2.1	mm	(最小)	
	SR1	1.1	mm	(最小)	
	基本额定载荷	CAN	310000	N	动载荷
COAN		755000	N	静载荷	
CA		31500	kgf	动载荷	
COA		77000	kgf	静载荷	
极限转速	GRE	800	1/min	脂润滑	
	OIL	1200	1/min	油润滑	
尺寸	SD3	179.5	mm	-	
	D1	88	mm	-	
	D2	130	mm	-	
	D3	185	mm	-	
	T2	78.5	mm	-	
	T6	83.5	mm	-	
	T8	89.5	mm	-	
	B	29	mm	-	
	SB	23.0	mm	-	
	A1	40.5	mm	-	
	R	140	mm	-	
	安装尺寸	DA	130	mm	(最大)
		SRA	2.0	mm	(最大)
SRB		1.0	mm	(最大)	
重量	MASS	19500	g	重量	

## NSK 54417XU图片



参考资料:<http://www.sozhou.com/p/998b85ed.html>

