


FAG NJ2315-E-TVP2 + HJ2315-E参数

尺寸	D	160	mm	-	
	B	55	mm	-	
	B ₁	11	mm	-	
	B ₂	19.5	mm	-	
	D ₁	136.2	mm	-	
	D _{a max}	148	mm	-	
	d ₁	104.1	mm	-	
	d _{a max}	93	mm	-	
	d _{a min}	87	mm	-	
	d _{c min}	106	mm	-	
	E	143	mm	-	
	F	95	mm	-	
	r _{1 min}	2.1	mm	-	
	r _{a max}	2.1	mm	-	
	r _{a1 max}	2.1	mm	-	
	r _{min}	2.1	mm	-	
	s	4.2	mm	距离中心位置的轴向偏移	
	说明		HJ2315-E		型号, L 型圈
	重量	m	5040	g	质量
m ₁		436	g	质量, L 型圈	
基本额定载荷	C _r	390000	N	基本额定动载荷, 径向	
	C _{0r}	395000	N	基本额定静载荷, 径向	
极限转速	n _G	5100	r/min	极限转速	
参考转速	n _B	3600	r/min	参考速度	
疲劳极限载荷	C _{ur}	71000	N	疲劳极限载荷, 径向	
尺寸	d	75	mm	-	

FAG NJ2315-E-TVP2 + HJ2315-E图片



参考资料:<http://www.sozhou.com/p/a910e50d.html>

