



FAG NJ313-E-TVP2 + HJ313-E参数

尺寸	d	65	mm	-
	D	140	mm	-
	B	33	mm	-
	B ₁	10	mm	-
	B ₂	15.5	mm	-
	D ₁	118.6	mm	-
	F	82.5	mm	-
	r _{1 min}	2.1	mm	-
	r _{a max}	2.1	mm	-
	r _{a1 max}	2.1	mm	-
	r _{min}	2.1	mm	-
	s	1.5	mm	距离中心位置的轴向偏移
	说明		HJ313-E	
重量	m	2320	g	质量
	m ₁	285	g	质量, L 型圈
基本额定载荷	C _r	214000	N	基本额定动载荷, 径向
	C _{0r}	191000	N	基本额定静载荷, 径向
极限转速	n _G	5900	r/min	极限转速
参考转速	n _B	4850	r/min	参考速度
疲劳极限载荷	C _{ur}	34500	N	疲劳极限载荷, 径向
尺寸	E	124.5	mm	-
	D _{a max}	128	mm	-
	d ₁	90.5	mm	-
	d _{a max}	81	mm	-
	d _{a min}	77	mm	-
	d _{c min}	93	mm	-

FAG NJ313-E-TVP2 + HJ313-E图片



参考资料:<http://www.sozhou.com/p/ad7afee0.html>

