


## NTN 604Z参数

|        |       |        |       |         |
|--------|-------|--------|-------|---------|
| 主要尺寸   | SD    | 4.0    | mm    | -       |
|        | D     | 12     | mm    | 外径      |
|        | B     | 4.0    | mm    | 宽度      |
|        | B1    | 4.0    | mm    | -       |
|        | D1    | 13.5   | mm    | -       |
|        | D2    | 13.5   | mm    | -       |
|        | C1    | 1.0    | mm    | -       |
|        | C2    | 1.0    | mm    | -       |
|        | R     | 0.20   | mm    | (最小)    |
|        | 型号    | ORDER  | 604Z  |         |
| 基本额定载荷 | CR    | 970    | N     | 动载荷     |
|        | COR   | 360    | N     | 静载荷     |
|        | CRF   | 99     | kgf   | 动载荷     |
|        | CORF  | 36     | kgf   | 静载荷     |
| 极限转速   | LSG   | 43 000 | r/min | 脂润滑     |
|        | LSO   | 51 000 | r/min | 油润滑     |
| 重量     | MASS  | 2.10   | g     | 开放式重量   |
| 安装尺寸   | DA1   | 5.6    | mm    | (最小)    |
|        | DA2   | 6.6    | mm    | (最大)    |
|        | DA    | 10.4   | mm    | (最大)    |
|        | RAS   | 0.2    | mm    | -       |
| 重量     | MASS1 | 2.30   | g     | 开放凸缘式重量 |

## NTN 604Z图片



参考资料:<http://www.sozhou.com/p/ae1fa4be.html>

