



FAG NJ332-E-M1 + HJ332-E参数

尺寸	d	160	mm	-	
	D	340	mm	-	
	B	68	mm	-	
	B <sub>1</sub>	15	mm	-	
	B <sub>2</sub>	25	mm	-	
	D <sub>1</sub>	286	mm	-	
	D <sub>a max</sub>	323	mm	-	
	d <sub>1</sub>	221.6	mm	-	
	d <sub>a max</sub>	200	mm	-	
	d <sub>a min</sub>	177	mm	-	
	d <sub>c min</sub>	228	mm	-	
	E	300	mm	-	
	F	204	mm	-	
	r <sub>1 min</sub>	4	mm	-	
	r <sub>a max</sub>	3	mm	-	
	r <sub>al max</sub>	3	mm	-	
	r <sub>min</sub>	4	mm	-	
	s	5.6	mm	距离中心位置的轴向偏移	
	说明		HJ332-E		型号, L 型圈
	重量	m	32300	g	质量
m <sub>1</sub>		2580	g	质量, L 型圈	
基本额定载荷	C <sub>r</sub>	860000	N	基本额定动载荷, 径向	
	C <sub>0r</sub>	1060000	N	基本额定静载荷, 径向	
极限转速	n <sub>G</sub>	3000	r/min	极限转速	
参考转速	n <sub>B</sub>	1790	r/min	参考速度	
疲劳极限载荷	C <sub>ur</sub>	128000	N	疲劳极限载荷, 径向	

FAG NJ332-E-M1 + HJ332-E图片



参考资料:<http://www.sozhou.com/p/b4628214.html>

