

FAG SNV062-F-L + 1305 + FSV305参数

| | | | | |
|----|-------|------------|----|----------|
| 尺寸 | d_2 | 30 | mm | - |
| | g_3 | 10.5 | mm | - |
| | h | 50 | mm | - |
| | m | 150 | mm | - |
| | s | M12 | | - |
| | s | 12.7 | mm | - |
| | u | 15 | mm | - |
| | v | 20 | mm | - |
| 重量 | m_1 | 1900 | g | 质量, 轴承座 |
| 说明 | | 1305 | | 型号, 轴承 |
| | | KM5 | | 型号, 锁紧螺母 |
| | | MB5 | | 型号, 爪式垫圈 |
| | | FRM62/6.5 | | 型号, 定位圈 |
| | | FSV305 | | 型号, 毛毡密封 |
| | | DKV062 | | 型号, 端盖 |
| 尺寸 | | SNV062-F-L | | 型号, 轴承座 |
| | d | 25 | mm | - |
| | a | 185 | mm | - |
| | h_1 | 91 | mm | - |
| | g | 75 | mm | - |
| | b | 52 | mm | - |
| | c | 22 | mm | - |
| | D | 62 | mm | - |

FAG SNV062-F-L + 1305 + FSV305图片





