


NSK 54406U参数

型号	型号	54406U		-	
外形尺寸	SD2	20	mm	内径	
	SD	30	mm	外径	
	D	70	mm	宽度	
	T1	52	mm	-	
	T5	56.2	mm	-	
	T7	62	mm	-	
	SR	1.0	mm	(最小)	
	SR1	0.6	mm	(最小)	
	基本额定载荷	CAN	73000	N	动载荷
COAN		126000	N	静载荷	
CA		7450	kgf	动载荷	
COA		12800	kgf	静载荷	
极限转速	GRE	2200	1/min	脂润滑	
	OIL	3200	1/min	油润滑	
尺寸	SD3	70.0	mm	-	
	D1	32	mm	-	
	D2	50	mm	-	
	D3	75	mm	-	
	T2	32.0	mm	-	
	T6	34.1	mm	-	
	T8	37.0	mm	-	
	B	12	mm	-	
	SB	9.0	mm	-	
	A1	16.0	mm	-	
	R	56	mm	-	
	安装尺寸	DA	50	mm	(最大)
		SRA	1.0	mm	(最大)
SRB		0.6	mm	(最大)	
重量	MASS	1270	g	重量	

NSK 54406U图片



参考资料:<http://www.sozhou.com/p/dff4b123.html>

