



FAG NJ310-E-TVP2 + HJ310-E参数

尺寸	E	97	mm	-
	F	65	mm	-
	$r_{1 \text{ min}}$	2	mm	-
	$r_{a \text{ max}}$	2	mm	-
	$r_{a1 \text{ max}}$	2	mm	-
	r_{min}	2	mm	-
	s	1.7	mm	距离中心位置的轴向偏移
说明		HJ310-E		型号, L 型圈
重量	m	1190	g	质量
	m_1	149	g	质量, L 型圈
基本额定载荷	C_r	131000	N	基本额定动载荷, 径向
	C_{0r}	114000	N	基本额定静载荷, 径向
极限转速	n_G	7800	r/min	极限转速
参考转速	n_B	6100	r/min	参考速度
疲劳极限载荷	C_{ur}	20100	N	疲劳极限载荷, 径向
尺寸	B_2	13	mm	-
	D_1	92.5	mm	-
	$D_{a \text{ max}}$	99	mm	-
	d_1	71.3	mm	-
	$d_{a \text{ max}}$	63	mm	-
	$d_{a \text{ min}}$	61	mm	-
	$d_{c \text{ min}}$	73	mm	-
	d	50	mm	-
	D	110	mm	-
	B	27	mm	-
	B_1	8	mm	-

FAG NJ310-E-TVP2 + HJ310-E图片



参考资料:<http://www.sozhou.com/p/f30df1ef.html>

