



SKF 81114 TN参数


| | | | | |
|--------|------------|------------|-------|-----|
| 主要尺寸 | d | 70 | mm | - |
| | D | 95 | mm | - |
| | H | 18 | mm | - |
| 基本额定载荷 | C | 86500 | N | 动载荷 |
| | C_0 | 345000 | N | 静载荷 |
| 疲劳载荷极限 | P_u | 34500 | N | - |
| 最小载荷系数 | A | 0.009 | - | - |
| 额定转速 | 额定转度 | 1700 | r/min | - |
| | 极限转速 | 3400 | r/min | - |
| 重量 | 重量 | 330 | g | - |
| 型号 | 完整轴承 | 81114 TN | - | - |
| | 滚子和保持架推力组件 | K 81114 TN | - | - |

SKF 81114 TN图片

完整轴承



滚子和保持架推力组件



K 81114 TN


质量 kg 0,090

适宜的部件

轴垫圈
WS 81114



轴承座垫圈
GS 81114

滚道圈
LS 7095




参考资料: <http://www.sozhou.com/p/f96f3643.html>

完整轴承



滚子和保持架推力组件



K 81114 TN

质量 kg 0,090

适宜的部件

轴垫圈
WS 81114

轴承座垫圈
GS 81114

滚道圈
LS 7095

